



XEROX 3107

COMPANY: XEROX
MODEL: 3107
SUGGESTED RETAIL PRICE: \$9,000*
RENTAL PRICING:

<u>Price Plan</u>	<u>Monthly Min.</u>	<u>Copies Included</u>	<u>Copy Charge</u>
Regular (XRP)			
Annual	\$ 210.00	1-1,450	None
		1,451-3,000	\$.0475
		3,001-6,000	.027
		6,001+	.0175
Two-Year	\$ 187.50	1-1,150	None
		1,151-3,000	\$.0435
		3,001-6,000	.026
		6,001+	.0165
Contract (XCP)— Level II			
Annual	\$ 230.00	1-3,525	None
		3,526-6,000	\$.0345
		6,001+	.017
Two-Year	\$ 220.00	1-3,525	None
		3,526-6,000	\$.0335
		6,001+	.016

MAINTENANCE CONTRACT (Purchased Units Only):

<u>Min. Charge</u>	<u>Copies Included</u>	<u>Copy Charge</u>
\$ 82/mo	3,000/mo.	None
	3,001+	\$.010

*\$7,720 for reconditioned unit

TOSHIBA AMERICA

XEROX 3107

PRODUCT STRENGTHS

Variable Thruput
Oversize Capability 14 x 25
Reduction Capability
Document Handler (Stream Feeder)
Stop Print Button
Mobile
Quantity Selector 1-99

PRODUCT LIMITATIONS

No Multiple Copies in LDC or
Reduction Mode
Originals May Jam in Stream Feeder
Cannot Copy Bound Volumes or Other
3D Objects Larger Than 8½ x 14
No Add Toner Indicator
Quantity Selector Must Be Manually
Reset
On/Off Switch Located Internally

TOSHIBA AMERICA

Competitive Product Guide

XEROX 3107

Copier Type:	TT on Special Wheels
Platen:	Stationary Flatbed
Segment:	2
Warm Up Time:	2½ min.
First/Multi Time:	8 sec. 20 c/m
Photoconductor Type:	Selenium Drum
Exposure Method:	Fluorescent Lamp
Development Method:	Dry Toner
Drum Cleaning System:	Blade
Image Fusing System:	Heat
Paper Supply:	Single Cassette Sheet-Fed
Manual Sheet-Bypass:	None
Capacity:	250 Sheets/Cassette
Paper Size Selector:	Cassette Change Required
Min/Max Copy Sizes:	8 × 10 14 × 25
Multi-Copy:	1-99, Manual Reset
Exposure Control:	Light Original
Toner Density:	Internal Toner Flow
Print, Stop Print:	Start Print, Stop Print
Other:	None
Paper Supply Indicator:	Add Paper
Toner Supply Indicator:	None
Number Copies Made/ Remaining:	Copies Selected, No Countdown
Paper Jam/Other Problems:	Clear Paper Path
Other:	Please Wait
Mfr.'s Recommended Monthly Volume:	1,000 to 15,000
Dimensions (H × W × D):	39 × 48¾ × 28¾
Weight:	316 lbs
Power Consumption:	115V, 60Hz, 15A

TOSHIBA AMERICA