

Compact, efficient, easy-to-maintain.

Signal tone adds to efficiency

When a copy run of 10 or more is completed, a signal tone is sounded by the BD-3202. The operator may leave the machine to perform other tasks during longer copy runs, returning when the tone is heard. It's no longer necessary to wait at the machine. This same tone will sound when the paper supply becomes empty or in the event of a paper misfeed – efficiency through electronics.

Space saving dimensions

With or without the optional stand, the BD-3202 offers compact dimensions so it won't take up a lot of your valuable office space. In a larger office, the BD-3202 can add to efficiency when used at a number of copy stations. Using several units eliminates congestion that can occur at a single, more costly copy center.

Microprocessor toner control

TOSHIBA has put a microprocessor in the BD-3202 to supply toner in a most efficient manner. This too helps reduce your copying costs.

Digital input with interrupt function

With the BD-3202 you have finger tip control of the entire copy operation. First, key in the number of copies required on the digital keyboard. The quantity will appear in the display. After checking to make sure it's correct, press the start key. With this foolproof system, there are no

wasted copies. To interrupt the copy cycle of a long run to copy a different original, press the interrupt key. Then make individual copies of the other document. The built-in memory will retain the proper count, then continue the copy run when the interruption is over. Pressing the clear/stop key will return the counter to '1'.





The BD-3202 is an example of modern technology

Copies as big as B-4 or

engineered for people. Daily maintenance

training to operate.

legal

The BD-3202

makes copies on most

paper sizes thanks to its adjustable

cassette. No matter

what the size of the

original, the BD-3202

functions can be handled with ease, quickly and cleanly. The electronic keyboard requires no special



Specifications:

| Copying process | Indirect transfer electrostatic method (Dry process) |
|--------------------------|--|
| Туре | Desk-top |
| Available original | Sheet, book and three-dimensional object |
| Available copy paper | Maximum size — B4 (257x364mm) (10-1/8x14-5/8") or Legal (8-1/2x14") Minimum size — B5 (182x257mm) or (7-1/16x10-1/8") |
| Available paper cassette | Adjustable cassette |
| Paper supply | Automatic feed from paper cassette |
| Copying speed | 8 copies per minute (A4 or Letter) |
| Magnification ratio | 1:1 |
| Warm-up time | Approximately 1 min. (220/240V), 3 min. (115V) |
| Multiple copying | 1 to 99 copies |
| Controls | 10-button keyboard for multiple copies; print button, power switch, copy tone exposure control sliding switch |
| Counter | 6-digit total counter (Non-resettable) |
| Power supply | AC 115 Volt, 60Hz AC 220 Volt, 50Hz AC 240 Volt, 50Hz |
| Power consumption | AC 115 Volt, 12A AC 220 Volt, 10A AC 240 Volt, 10A *Power supply and consumption are different for different countries. |
| Dimensions (WxHxD) | 627x397x595mm (24-1/4x15-5/16x23-3/8") |
| Weight | 61kg (135 lbs.) |

It is recommended that only supplies made or designated by TOSHIBA be used for this machine in order to get optimum results.

Design and specifications subject to change without notice.

