



IBM SERIES III, MODEL 10

COMPANY: IBM
MODEL: SERIES III,
Model 10
SUGGESTED RETAIL PRICE: \$25,150*
RENTAL PRICING:

| <u>Price Plan</u> | <u>Monthly Min.</u> | <u>Copies Included</u> | <u>Copy Charge</u> |
|-------------------|---------------------|------------------------|--------------------|
| Annual | \$ 665.00** | 1-15,000 | None |
| | | 15,001-30,000 | \$.0204 |
| | | 30,001 + | \$.0131 |
| Two-Year | \$ 630.00*** | 1-15,000 | None |
| | | 15,001-30,000 | \$.0190 |
| | | 30,001 + | .0124 |

MAINTENANCE CONTRACT (Purchased Units Only):

| <u>Min. Charge</u> | <u>Copies Included</u> | <u>Copy Charge</u> |
|--------------------|------------------------|--------------------|
| \$ 214/mo.**** | 15,000/mo. | None |
| | 15,001 + | \$.0085 |

*Plus \$4,600 for 20-bin collator
Plus \$8,345 for 40-bin collator

**Plus \$121 for 20-bin collator
Plus \$223 for 40-bin collator
Plus \$5.00 for collator attachment feature

***Plus \$114 for 20-bin collator
Plus \$210 for 40-bin collator
Plus \$5.00 for collator attachment feature

****Plus \$46.00 for 20-bin collator
Plus \$86.00 for 40-bin collator

TOSHIBA AMERICA

IBM SERIES III, Model 10

PRODUCT STRENGTHS

Self-Advancing Scroll Photoconductor
4.5 Seconds First Copy Speed
Fast Multiple Copy Speed (75 cpm)
Large Paper Capacity (2100/600) Sheets
Automatic Duplexing
1-999 Quantity Selector

PRODUCT LIMITATIONS

10 Minute Warm-Up
Max. Original Size (8½ x 14)
Max. Copy Size (8½ x 14)
220V/30A Dedicated Line
The Document Feed Is Not Automatic (SADF)
No Automatic Toning
High Purchase Price
Long Paper Path
Jam Potential

TOSHIBA AMERICA

Competitive Product Guide

IBM SERIES III, MODEL 10

| | |
|---------------------------------------|--|
| Copier Type: | Console |
| Platen: | Stationary Flatbed |
| Segment: | 4 |
| Warm Up Time: | 10 Min. |
| First/Multi Time: | 4½ sec. 75 c/m |
| Photoconductor Type: | PVK (organic) |
| Exposure Method: | Halogen Lamp |
| Development Method: | Dry Toner |
| Drum Cleaning System: | Brush |
| Image Fusing System: | Heat (hot roll) |
| Paper Supply: | Dual Tray Sheet-Fed |
| Manual Sheet-Bypass: | None |
| Capacity: | 2100 & 600 Sheets/Tray |
| Paper Size Selector: | Alternate Paper Tray |
| Min/Max Copy Sizes: | 8 × 10½ 8½ × 14 |
| Multi-Copy: | Digital, 1-999, Auto Reset |
| Exposure Control: | Light/Dark Buttons |
| Toner Density: | None |
| Print, Stop Print: | Start Print, Stop/Reset |
| Other: | Duplex Button, Collate Button (optional) |
| Paper Supply Indicator: | Add Paper Display |
| Toner Supply Indicator: | Internal Light |
| Number Copies Made/ Remaining: | Display Tubes for Copies Made and Selected |
| Paper Jam/Other Problems: | Check Paper Path |
| Other: | Lift Cover for Document Misfeed, Remove Copies for Full Exit Tray |
| Mfr.'s Recommended Monthly Volume: | 20,000 to 50,000 |
| Dimensions (H × W × D): | 46¼ × 42¼ × 27 |
| Weight: | 1100 lbs |
| Power Consumption: | 115/230V, 60Hz, 30A |

TOSHIBA AMERICA